

## Brink HTST Skid

Mfg: Brink

Model: T8CH

Stock No. BIIR07.

Serial No. 3081

Brink HTST Skid. 1992 Thermaline Heat Exchanger. Model: T8CH, S/N: 3081. Heating surface area: 85 sq. ft. (3) Motors. (2) Centrifugal pumps. (1) Waukesha 18 positive displacement pump. Perma-San 66 gal. stainless steel tank. Culbro Machine System Control Box. Overall dimensions: 93 in. L x 70 in. W x 95 in. H.

Brink HTST Skid. 1992 Thermaline Heat Exchanger. Model: T8CH, S/N: 3081. Heating surface area: 85 sq. ft. MAWP: 150 psi. Test pressure: 200 psi. (65) Plates: Zone 1: 13; Zone 2: 31; Zone 3: 21. Gasket material: nitrile. (3) Motors: #1: Baldor motor, 7.5 & 3.75 hp, 3600 & 1800 rpm, 460 V, 9/7.7 amps, 3 phase, with centrifugal pump; #2: Baldor motor, 1725 rpm, 208-230/460 V, 3.7-3.4/1.7 amps, 60 Hz, with centrifugal pump; #3: SEW motor, 3/4 hp, 230/460 V, 3.05/1.53 amps, 1700 rpm, 60 Hz. SEW motor drive, 5.31 final rpm, 320 ratio, 148 torque. Waukesha 18 pump. Perma-San stainless steel tank: 66 gal. with volume sensor, Tri-cover air actuator and sprinkler system, relief valve. Culbro Machine System Control Box, S/N: 26008887080, with on/off switch. Inlets/outlets: 1-1/2 in. "S" line fittings. Overall dimensions: 93 in. L x 70 in. W x 95 in. H.





