1994 York Packaged Liquid Chiller 185-Ton				
Mfg: York	Model: VCA187AU6-46PA			
Stock No. DKI02.	Serial No <u>.</u> FNBM116770			

1994 York Packaged Liquid Chiller- 200 Ton. Model VCA187AU6-46PA. S/N FNBM116770. With chiller barrel and (2) compressors. Chiller barrel- 21 in. dia x 104 in L. Inlets/ outlets- (2) 8-1/2 in. Chiller: R-22 refrigerant, 140 lbs. charge each circuit. Test pressure: high/low- 450/300 psig, 460 V, 3- phase. Min/max voltage limits- 414/506 V. Min. circuit ampacity: 238/210 amps for System 1/System 2, Max. dual element fuse 400/350 amps for System 1/System 2. (2) York International Corporation Compressors. Models: JS83FS46/50S and JS64FS-46/50. S/Ns: KGGR070069 and KAGR200012. System 1 Compressor: 460 V, 3 phase, 60 Hz, RLA/LRA- 759/575; System 2 Compressor: 380/416 V, 50 Hz, RLA/LRA- 761/570. (2) 3 hp condensers with 4 fan each. (2) Oil heaters- 115 volts, 350 watts, 1 phase. (2) Cooler heaters 115 volts, 560 watts. Both compressors replaced in 1998 with valve springs updated to wave type. Control panel updated 2004. Unit was well maintained and working well when removed from service.

























IQUID CHILLER	DUID CHILLER MODEL		SERIAL OR RECHO		
PEPRISERANT 12 PAGE VOLTS PHASE HZ	DRY TEST PRESS	PERS HIS VOLTAGE LIMITS I	on sine I	PSIG LOW BIDE	
Use		SYSTEM 1		SYSTEM 2	UNIT
PACTORY REPRIGERANT CHARGE MPN. CINCLUT AMPACITY WAX. DUAL BLAMBHT PUGE SIZE MAX. CHICUIT SHEAVER SIZE	AMPS.				10
COMPANION VOLTS P	A DESCRIPTION OF THE PERSON NAMED IN COLUMN 1	No. of Persons in		PLA LEA	
UNIT CONTROL SUPPL		MAK OUAL	SEMEST AN SCUIT AMERICAN	AF RICES	
LOADS ON HEATER COOLEN HEATER FIELD CHILDREN LIO, LINE HE	100 H	19618-DHAR-HE	MATTE I	marra mas.	

