


Weldtron Shrink Wrap sn4097516 stock No. D-073a.22, package 20Wx8Hx42L in,conveyor 19Wx33Lx36H in,tunnel mdl7221 snTE14972B 20Wx8H in,wrapper mdl1715 snUD97516 11Lx6Wx4.5H ft,cutter 15Wx6H in,run speed 460,temp control top-bottom-cross seals, adj heat-vacuum,scrap arbor mdl 269 220V

Weldtron Shrink Wrapper



Packages: 20 in W x 8 in H x 42 in L



Flat Belt Infeed Conveyor 19 in W x 33 in L x 36 in H

Weldtron Shrink Wrap sn4097516 stock No. D-073a.22, package 20Wx8Hx42L in,conveyor 19Wx33Lx36H in,tunnel mdl7221 snTE14972B 20Wx8H in,wrapper mdl1715 snUD97516 11Lx6Wx4.5H ft,cutter 15Wx6H in,run speed 460,temp control top-bottom-cross seals, adj heat-vacuum,scrap arbor mdl 269 220V



Microperforator Roller 27.5 in W



**Shrink Tunnel Model 7221
Serial Number TE14972B**



Opening 20 in W x 8 in H

Weldtron Shrink Wrap sn4097516 stock No. D-073a.22, package 20Wx8Hx42L in,conveyor 19Wx33Lx36H in,tunnel mdl7221 snTE14972B 20Wx8H in,wrapper mdl1715 snUD97516 11Lx6Wx4.5H ft,cutter 15Wx6H in,run speed 460,temp control top-bottom-cross seals, adj heat-vacuum,scrap arbor mdl 269 220V



Wrapper model 1715, serial number UD97516, dwg# 1715-8000, digital sensors, 230V/11 ft L x 6 ft W x 4.5 ft H, cutter 15 in W x 6 in H

Control Panel, current run speed 460 start speed 431, temperature control for top-bottom-cross seals, adjustable heat & vacuum, EMO, Start-Stop

Parts, Service, Supplies, Shrink Film

Shrink Packaging Equipment Center
SPEC Industries
7452 Orangewood Ave.
Garden Grove Ca, 92641
800 – 732 – 6563
714 – 895 - 3454

Weldtron Corp.
1532 So. Washinton Ave.
Piscataway, New Jersey



**Scrap Load Arbor
Model 269, 220V**